POPULATION ESTIMATES	LONG-TERM CARE	LOCAL HEALTH DEPARTMENTS
Total 2001 Population 75:  Population per square mile County ranking in state (1-72)  Age Female Male Total 15: 0-14 7,610 8,110 15: 15-19 2,780 2,900 5: 20-24 1,920 1,950 3: 25-29 2,050 2,070 4: 30-34 2,460 2,450 4: 35-39 3,040 3,070 6: 40-44 3,210 3,120 6: 45-54 5,170 5,270 10: 55-64 3,460 3,430 6:	,690   Community Options and   MA Waiver Programs   95   ) 21   Clients   Costs   COP   163   \$489,688   COP   163   \$489,688   COP   163   \$489,688   COP   163   \$745,457   CIP1A   17   \$745,457   670   CIP1B   105   \$1,902,096   870   CIP2   78   \$887,461   130   COP-W   153   \$1,038,595   910   CSLA   \$0   \$120   Brain Injury   3   \$187,290   330   Total COP/Wyrs   377   \$5,250,588   430   \$187,290   \$120   \$	Per 10,000  Staffing - FTE Number Population Total staff 27 3.6 Administrative 6 0.7 Professional staff 17 2.2 Technical/Paraprof. 1 0.1 Support staff 4 0.6  Funding Per capita Total \$1,701,664 \$22.47 Local Taxes \$933,496 \$12.33
65-74   3,010   2,510   5,	,530   were paid as local match/overmatch ,330   using COP funds. This amount is ,750   not included in above COP costs. ,690	Type Capacity Facilities Bed & Breakfast 4 3 Camps 706 12 Hotels, Motels 949 24 Tourist Rooming 11 6 Pools 46 Restaurants 133 Vending 15
I FMDLOVMENT	281   Note: Eligible and waiting clients 6%)   will be phased into the COP and MA 139   Waivers as available. 9%)	CANCED INCIDENCE
Note: based on place of work	Home Health Agencies  ,040   Patients   1,232   Patients per 10,000 pop.   162    nual   rage   Nursing Homes   6   Licensed beds   714   ,644   Occupancy rate   83.7%   ,506   Residents on Dec.31   616   ,138   Residents age 65 or older   5.3%   per 1,000 population   50	Primary Site   Number

			NATA	ITTY				
TOTAL LIVE BIRTHS		891	NATA Birth Order	Rirths	Percent	Marital Status		
I TOTAL LIVE DIKTHS		031	First	355	40	of Mother	Rirthe	Percent
!   Crude Live Birth Rate		11 0	Socond	355 291	22	Married	649	73
Crude Live Dilili Rate	_	11.0	Second The ad	231 147	33 16	Mat magnind	243	/ 3 3 7
General Fertility Rate	e	5/.6	Inira	14/	16	Not married	241	27
<u> </u>			Fourth or higher	98	11	Unknown	1	< . 5
Live births with repo congenital anomalies	rted		Second Third Fourth or higher Unknown	Θ	0			
congenital anomalies	1	.3 1.5%				Education		
			First Prenatal Visit			of Mother	Births	Percent
Delivery Type	Births	Percent	Visit	Births	Percent	F1 1		1
l Vaginal after			1ct trimactar	772	פס	Some high school	99	11
nrevious cesarean	16	2	2nd trimester	134	15	High school	318	36
Forcens	16	2	3rd trimester	19	2	Some college	234	26
Other vaginal	673	76	No visits	13	1	College graduate	227	25
Drimary cocaroan	110	10	2nd trimester 3rd trimester No visits Unknown	1		Some high school High school Some college College graduate Unknown	227	1
Primary Cesarean	110	12	UTIKTIOWIT	1	۲.5	UTIKTIOWII	6	Ţ
Repeat cesarean	/6	9						
previous cesarean Forceps Other vaginal Primary cesarean Repeat cesarean Other or unknown	Θ	Θ	Number of Prenatal		_	Smoking Status		_
			Care visits	Births	Percent	of Mother	Births	Percent
Birthweight	Births	Percent	No visits	9	1	Cmokor	191	21
<1,500 gm	8	0.9	1-4	15	2	Nonsmoker	698	78
i 1.500-2.499 gm	43	4.8	No visits 1-4 5-9 10-12	195	22 50	Unknown	2	< . 5
1 2.500+ gm	840	94.3	10-12	445	50		_	
<pre></pre>	0.0	0	13+	226	25			
I	O	J	13+ Unknown	1	<.5			
 						er of First Prenatal	 Visit	
    						er of First Prenatal	Visit Other/	    Unknown
          Race of Mother	Rirths F					er of First Prenatal 2nd Trimester Births Percent	Visit Other/	Unknown
          Race of Mother	Births F	ercent				er of First Prenatal 2nd Trimester Births Percent	Visit Other/ Births	Unknown Percent
        Race of Mother   White	Births F 850	ercent 95				er of First Prenatal 2nd Trimester Births Percent 122 14	Visit Other/ Births 21	Unknown Percent 2
        Race of Mother   White   Black	Births F 850 2	ercent 95 <.5				er of First Prenatal 2nd Trimester Births Percent 122 14	Visit Other/ Births 21	Unknown Percent 2
        Race of Mother   White   Black   Other	Births F 850 2 37	Percent 95 <.5 4				er of First Prenatal 2nd Trimester Births Percent 122 14 * . 11 30	Visit Other/ Births 21 * 7	Unknown Percent 2 19
        Race of Mother   White   Black   Other   Unknown	Births F 850 2 37 2	Percent 95 <.5 4 <.5	Low Birthweight (under 2,500 gm) Births Percent 48 5.6 * 2 5.4 *	1st Tr Births 707 * 19 *	Trimest imester Percent 83 51	er of First Prenatal 2nd Trimester Births Percent 122 14 * 11 30 *	Visit Other/ Births 21 * 7	Unknown Percent 2 . 19
 	Births F 850 2 37 2	Percent 95 <.5 4 <.5	Low Birthweight (under 2,500 gm) Births Percent 48 5.6 * 2 5.4 *	1st Tr Births 707 * 19 *	Trimest imester Percent 83 51	er of First Prenatal 2nd Trimester Births Percent 122 14 * 11 30 * eer of First Prenatal	Visit Other/ Births 21 * 7 * Visit	Unknown Percent 2 . 19
	Fe	ertility	Low Birthweight (under 2,500 gm) Births Percent 48 5.6 * 2 5.4 *	1st Tr Births 707 * 19 *	Trimest imester Percent 83 51	er of First Prenatal 2nd Trimester Births Percent 122 14 * 11 30 *	Visit Other/ Births 21 * 7 * Visit Other/	Unknown Percent 2 . 19 .
	Fe	ertility	Low Birthweight (under 2,500 gm) Births Percent 48 5.6 * 2 5.4 *	1st Tr Births 707 * 19 *	Trimest imester Percent 83 51	er of First Prenatal 2nd Trimester Births Percent 122 14 * 11 30 *	Visit Other/ Births 21 * 7 * Visit Other/ Births	Unknown Percent 2 . 19 Unknown
   Age of Mother	Fe Births	ertility Rate	Low Birthweight (under 2,500 gm) Births Percent 48 5.6 * 2 5.4 * Low Birthweight (under 2,500 gm) Births Percent	1st Tr Births 707 * 19 *	Trimest imester Percent 83 . 51 . Trimest imester Percent	2nd Trimester Births Percent	Visit Other/ Births 21 * 7 * Visit Other/ Births *	Unknown Percent 2 . 19 Unknown Percent
   Age of Mother   <15	Fe Births 1	ertility Rate	Low Birthweight (under 2,500 gm) Births Percent 48 5.6 * 2 5.4 * Low Birthweight (under 2,500 gm) Births Percent	1st Tr Births 707 * 19 * 	Trimest imester Percent 83 . 51 . Trimest imester Percent	2nd Trimester Births Percent	Other/ Births *	Unknown Percent
   Age of Mother   <15   15-17	Fe Births 1 25	ertility Rate	Low Birthweight (under 2,500 gm) Births Percent 48 5.6 * 2 5.4 * Low Birthweight (under 2,500 gm) Births Percent	1st Tr Births 707 * 19 *  1st Tr Births *	Trimest imester Percent 83 . 51 . Trimest imester Percent	2nd Trimester Births Percent	Other/ Births * 4	Unknown Percent 16
   Age of Mother   <15   15-17   18-19	Fe Births 1 25 72	ertility Rate	Low Birthweight (under 2,500 gm) Births Percent 48 5.6 * 2 5.4 * Low Birthweight (under 2,500 gm) Births Percent	1st Tr Births 707 * 19 *  1st Tr Births * 13	Trimest imester Percent 83 . 51 . Trimest imester Percent . 52 74	2nd Trimester Births Percent * . 8 32 16 22	Other/ Births * 4 3	Unknown Percent 16 4
   Age of Mother   <15   15-17   18-19   20-24	Fe Births 1 25 72 236	ertility Rate  14 76 123	Low Birthweight (under 2,500 gm) Births Percent 48 5.6 * 2 5.4 *  Low Birthweight (under 2,500 gm) Births Percent * 3 12.0 4 5.6 16 6.8	1st Tr Births 707 * 19 *  1st Tr Births * 13 53 189	Trimest imester Percent 83 . 51 . Trimest imester Percent . 52 74 80	2nd Trimester Births Percent * . 8 32 16 22 35 15	Other/ Births * 4 3 12	Unknown Percent 16 4
   Age of Mother   <15   15-17   18-19   20-24   25-29	Fe Births 1 25 72 236 269	rtility Rate  14 76 123 131	Low Birthweight (under 2,500 gm) Births Percent 48 5.6 * 2 5.4 *  Low Birthweight (under 2,500 gm) Births Percent * 3 12.0 4 5.6 16 6.8 10 3.7	1st Tr Births 707 * 19 *  1st Tr Births * 13 53 189 223	Trimest imester Percent 83 . 51 . Trimest imester Percent . 52 74 80 83	2nd Trimester Births Percent * . 8 32 16 22 35 15 42 16	Other/ Births * 4 3 12 4	Unknown Percent 16 4 5 1
   Age of Mother   <15   15-17   18-19   20-24   25-29   30-34	Fe Births 1 25 72 236 269 200	rtility Rate  14 76 123 131 81	Low Birthweight (under 2,500 gm) Births Percent 48 5.6 * . 2 5.4 * .  Low Birthweight (under 2,500 gm) Births Percent * . 3 12.0 4 5.6 16 6.8 10 3.7 12 6.0	1st Tr Births 707 * 19 * 	Trimest imester Percent 83 . 51 . Trimest imester Percent . 52 74 80 83 87	2nd Trimester Births Percent * . 8 32 16 22 35 15 42 16 25 13	Other/ Births * 4 3 12 4	Unknown Percent 16 4 5 1
Age of Mother   <15   15-17   18-19   20-24   25-29   30-34   35-39	Fe Births 1 25 72 236 269 200 70	Rate 14 76 123 131 81 23	Low Birthweight (under 2,500 gm) Births Percent 48 5.6 * 2 5.4 *  Low Birthweight (under 2,500 gm) Births Percent * 3 12.0 4 5.6 16 6.8 10 3.7	1st Tr Births 707 * 19 * 	Trimest imester Percent 83	2nd Trimester Births Percent * . 8 32 16 22 35 15 42 16 25 13 6 9	Other/ Births * 4 3 12 4	Unknown Percent 16 4 5 1
Age of Mother   <15   15-17   18-19   20-24   25-29   30-34   35-39   40+	Fe Births 1 25 72 236 269 200 70 17	Rate 14 76 123 131 81 23 5	Low Birthweight (under 2,500 gm) Births Percent 48 5.6 * 2 5.4 * *  Low Birthweight (under 2,500 gm) Births Percent * 3 12.0 4 5.6 16 6.8 10 3.7 12 6.0 4 5.7	1st Tr Births 707 * 19 * 	Trimest imester Percent 83 . 51 . Trimest imester Percent . 52 74 80 83 87	2nd Trimester Births Percent  * .  8	Other/ Births * 4 3 12 4	Unknown Percent 16 4 5 1
Age of Mother   <15   15-17   18-19   20-24   25-29   30-34   35-39	Fe Births 1 25 72 236 269 200 70	Rate 14 76 123 131 81 23	Low Birthweight (under 2,500 gm) Births Percent 48 5.6 * . 2 5.4 * .  Low Birthweight (under 2,500 gm) Births Percent * . 3 12.0 4 5.6 16 6.8 10 3.7 12 6.0	1st Tr Births 707 * 19 * 	Trimest imester Percent 83	2nd Trimester Births Percent * . 8	Other/ Births * 4 3 12 4	Unknown Percent 16 4 5 1
Age of Mother   <15   15-17   18-19   20-24   25-29   30-34   35-39   40+	Fe Births 1 25 72 236 269 200 70 17	Rate 14 76 123 131 81 23 5	Low Birthweight (under 2,500 gm) Births Percent 48 5.6 * 2 5.4 *  Low Birthweight (under 2,500 gm) Births Percent * 3 12.0 4 5.6 16 6.8 10 3.7 12 6.0 4 5.7 . * .	1st Tr Births 707 * 19 * 1st Tr Births * 13 53 189 223 173 62 15 *	Trimest imester Percent 83 51 Trimest imester Percent 52 74 80 83 87 89 88	2nd Trimester Births Percent  *  8 32 16 22 35 15 42 16 25 13 6 9 2 12	Other/Births  * 4 3 12 4 2 2 .*	Unknown Percent

MORBIDITY			MO F	RTALITY			
1						I	
i I	Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births.						
REPORTED* CASES OF SELECTED DISEASES	Perinatal and fetal death rates are per 1,000 live births plus						
KLIOKILD CASES OF SELECTED DISEASES	fotol dootho	letat ut	catil lates	are per 1,000 live birti	is plus	ļ	
!	i retat deaths.	. Rates a	are not cat	culated for fewer than 2	deaths.	Į.	
	l						
Disease Number	TOTAL DEATHS		663	Selected			
Campylobacter Enteritis 27	Crude Death Ra	ate	874	Underlying Cause	Deaths	Rate	
Giardiasis 19	İ			Heart Disease (total)	176	232 İ	
Hepatitis Type A 0	İ			Ischemic heart diseas		146	
Hepatitis Type B** <5	Age	Deaths	Rate	Cancer (total)	147	194 i	
Hepatitis NANB/C 6	1 1-4	Deachis		Trachea/Bronchus/Lung		57	
Legionnaire's <5	5-14	3	•	i Coloroctal	1 1 7	۱ / د	
	15-19			Female Breast	14	·   *	
		3	•				
Measles 0	20-34	_8	:	Cerebrovascular Diseas	se 42	55 [	
Meningitis, Aseptic <5	35-54	53	232	Lower Resp. Disease   Pneumonia & Influenza	35	46 j	
Meningitis, Bacterial <5	55-64	48	696	Pneumonia & Influenza	15	.	
Mumps 0	65-74	102	1,844	Accidents	33	44	
Pertussis 0	j 75-84	206	4,756	Motor vehicle	16	. i	
Salmonellosis 11	j 85+	237	13,520	l Diabetes	26	34 İ	
Shigellosis <5			,	Infectious & Parasition	13	.	
Tuberculosis 0				Suicide	. 3	·	
1	Infant			Jarerae	3	. !	
  * 2001 provisional data	IIIIaiii	Doothe	Rate	   * Rate for female brea	st cancar	based I	
* 2001 provisional data	I Mortality	Deaths	Rate			baseu j	
** Includes all positive HBsAg	Mortality Total Infant Neonatal Postneonatal Unknown	3	•	on female popula	ition.	!	
test results	Neonatal	3	•	!			
	Postneonatal	•		ALCOHOL AND DRUG ABUSE			
	Unknown		•	OR CONTRIBUTING CAL	JSE OF DEAT	ΓH	
Sexually Transmitted Disease							
Chlamydia Trachomatis 95	Race of Mother			Alcohol	11	.	
Genital Herpes 27	White	2	•	Other Drugs	13	. i	
i Gonorrhea <5	j Black	•		Alcohol   Other Drugs   Both Mentioned	1	. i	
Syphilis 0	Other	ĺ				i	
1	Unknown			MOTOR VEHICL	F CRASHES		
! !	I OTIKNOWN	•	•	I HOTOK VEHICL	L CIVISILS	¦	
 	Pirthuoight			Note: These data are	bacad on 1	location	
IMMUNIZATIONS	Birthweight   <1,500 gm   1,500-2,499 gm	2					
IMMUNIZATIONS	1 500 gill	2	•	of crash, not o	ni restuent	.e. į	
<u> </u>	1,500-2,499 gm	:	•	<u> </u>	_		
Children in Grades K-12 by	וואַ דטטטד אַווו	1	•	Type of Motor	Persons F	ersons	
Compliance Level	Unknown		•	Vehicle Crash	Injured	Killed	
Compliant 13,120				Total Crashes	666	6	
Non-compliant 169				Type of Motor Vehicle Crash Total Crashes Alcohol-Related	73	1 j	
Compliant 13,120 Non-compliant 169 Percent Compliant 98.7	i Perinatal			With Citation:		i	
	i Mortality	Deaths	Rate	i For OWT	10	o i	
	Total Perinatal	8		For Speeding		0 I	
	Neonatal	3	•	For Speeding Motorcyclist	30	ŏ i	
 	Total Perinatal Neonatal Fetal	5	•	Bicyclist	18	0 1	
] 	i i e ca c	ر	•	Pedestrian	15	0 1	
I	I			reuestiidii	13	ן ש	

Per Average Charge | Per Average Charge DISEASE / 1,000 Stay Average Per AGE GROUP Number Pop (Days) Charge Capita Charge Alcohol-Related
Total 266 3.5 4.4 \$5,119
18-44 185 6.8 3.9 \$4,430
45-64 59 3.4 4.6 \$5,602 Injury-Related: All Total 746 9.8 4.8 \$13,426 <18 72 3.7 3.4 \$10,145 18-44 164 6.0 4.5 \$14,147 45-64 151 8.7 4.7 \$13,472 65+ 359 30.9 5.3 \$13,736 \$132 \$18 \$38 \$30 \$85 \$19 Pneumonia and Influenza
Total 328 4.3 4.6 \$7,903
<18 33 1.7 3.1 \$6,350
45-64 42 2.4 3.5 \$7,162
65+ 236 20.3 5.0 \$8,244 \$117 \$34 \$425 Injury: Hip Fracture \$11 Total 116 1.5 5.6 \$15,050 \$23 \$17 65+ 102 8.8 5.7 \$15.099 \$133 \$167 Injury: Poisonings njury: Poisonings Total 43 0.6 2.3 \$5,719 \$3 18-44 19 . . . . Total 227 3.0 5.4 \$11,953 45-64 44 2.5 4.6 \$14,048 65+ 175 15.1 5.3 \$10,583 \$36 \$36 \$159 

 sychiatric

 Total
 629
 8.3
 8.2
 \$6,544

 <18</td>
 156
 8.0
 14.0
 \$9,030

 18-44
 287
 10.5
 6.3
 \$5,070

 45-64
 103
 5.9
 6.0
 \$5,578

 65+
 83
 7.1
 6.9
 \$8,170

 Chronic Obstructive Pulmonary Disease Psychiatric Total 218 2.9 3.4 \$6,355
<18 29 1.5 2.1 \$3,776
18-44 26 1.0 2.7 \$4,692
45-64 34 2.0 4.3 \$8,776
65+ 129 11.1 3.7 \$6,631

Drug-Related \$54 \$18 \$73 \$53 \$4 \$33 \$17 \$58 \$74 Total 43 0.6 7.2 \$6,555 \$4 18-44 21 0.8 3.7 \$4,759 \$4 Coronary Heart Disease Total 573 7.6 4.2 \$20,261 45-64 199 11.5 3.8 \$21,315 65+ 350 30.1 4.5 \$19,716 \$153 \$245 | Total Hospitalizations \$594 Total 9,483 125.1 4.2 \$9,312 \$1,164 <18 1,577 81.2 3.4 \$4,519 \$367 \$88 18-44 2,356 86.2 3.4 \$6,401 \$552 \$13 45-64 1,762 101.7 4.4 \$11,994 \$1,220 \$140 65+ 3,788 326.1 5.0 \$11,869 \$3,871 Malignant Neoplasms (Cancers): All Total 375 4.9 6.9 \$17,721 18-44 28 1.0 4.3 \$12,335 45-64 121 7.0 7.0 \$20,043 65+ 223 19.2 7.2 \$17,223 \$331 ----- PREVENTABLE HOSPITALIZATIONS\* ------Neoplasms: Female Breast (rates for female population) | Total 1,236 16.3 3.9 \$6,881 \$112 <18 162 8.3 2.2 \$3,666 \$31 18-44 125 4.6 2.9 \$5,070 \$23 45-64 189 10.9 3.9 \$7,338 \$80 65+ 760 65.4 4.5 \$7,750 \$507 Total 37 1.0 2.2 \$7,840 \$8 Neoplasms: Colo-rectal Total 53 0.7 9.8 \$20,751 \$15 65+ 38 3.3 10.0 \$21,028 \$69 \$69 Neoplasms: Lung Total 35 0.5 7.6 \$19,914 \$9 \* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization. The definition of preventable hospitalizations in 2001 Diabetes Tabetes | The definition of preventable hospitalizations in 2001 | Total | 84 | 1.1 | 5.1 | \$8,380 | \$9 | is consistent with the 1997 definition. | 65+ | 42 | 3.6 | 5.3 | \$9,433 | \$34 | Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between 1996 and 1997.